

REFERENCES USED IN DEVELOPING DUTCH SLOUGH DESIGN

Topics are grouped in the order they appeared in the Draft Environmental Impact Report (2008)

GENERAL

Allen, JRL. 2000. Morphodynamics of Holocene salt marshes: a review sketch from the Atlantic and southern North Sea coasts of Europe. *Quaternary Science Review* 19(12):1155-1231.

Atwater BF, Belknap DF. 1980. Tidal-wetland deposits of the Sacramento-San Joaquin Delta, California. In: Field ME, Bouma AH, Colburn IP, Douglas RG and Ingle JC, editors. *Quaternary depositional environments of the Pacific Coast. Pacific Coast Paleogeography Symposium 4. Proceedings of the Society of Economic Paleontologists and Mineralogists. Los Angeles (CA): Society of Economic Paleontologists and Mineralogists. p 89-103.*

Bergamaschi, B.A., B.D. Downing, G.A. Wheeler, D.H. Schoellhamer, N.K. Ganju, M.S. Fram, D.E. Erickson, C. Kendall, B.E. Bemis, R. Stepanauskas, J.T. Hollibaugh, and R. Fujii. 2003. Quantifying the contributions of tidal wetlands to dissolved organic material in the San Francisco Estuary, California, USA. *Conference Abstracts: 17th Biennial Conference of the Estuarine Research Federation, Seattle, Washington, September 14-18, 2003.*

CALFED (CALFED Bay-Delta Program). 2000. Ecosystem restoration program plan final programmatic EIS/EIR. Sacramento (CA): CALFED Bay-Delta Program. Available from: http://calwater.ca.gov/CALFEDDocuments/Final_EIS_EIR.shtml.

Drexler JZ, Fleck J, Wheeler G, Fujii R. 2003. Carbon storage and sediment accretion in restored wetlands on Twitchell Island in the Sacramento-San Joaquin Delta, California [abstract]. In: CALFED Science Conference 2003 Abstracts. CALFED Science Conference 14-16 Jan 2003, Sacramento Convention Center. Sacramento (CA): CALFED Bay-Delta Program. p 46.

Garrity NJ. 2004. Solar Heating and Temperature Dynamics of Over-Marsh Tides in Restored Marshes. U.C. Berkeley CEE209A Hydrologic Mixing Processes class project for Professor Mark Stacey. May 17.

Goman M, Wells L. 2000. Trends in river flow affecting the northeastern reach of the San Francisco Bay Estuary over the past 7000 years. *Quaternary Research* 54:206-217.

Morris, J.T., P.V. Sundareshwar, C.T. Nietch, B. Kjerfve, and D.R. Cahoon. 2002. Responses of coastal wetlands to rising sea level. *Ecology* 83: 2869-2877.

Orr, M.K, S. Crooks, P.B. Williams. 2003. Will Restored Marshes Be Sustainable? *San Francisco Estuary and Watershed Science* 1(1):Article 5.

- Overpeck, Jonathan, T. Bette L. Otto-Bliesner, Gifford H. Miller, Daniel R. Muhs, Richard B. Alley, Jeffrey T. Kiehl. 2006. Paleoclimatic Evidence for Future Ice-Sheet Instability and Rapid Sea-Level Rise. *Science* 24 March 2006: Vol. 311. no. 5768, pp. 1747 – 1750.
- PSNERP (Puget Sound Nearshore Ecosystem Restoration Project, Nearshore Science Team). 2006. Conceptual model for assessing restoration of Puget Sound Nearshore Ecosystems. Prepared by the Nearshore Science Team, Conceptual Model Working Group – C. Simenstad lead author, K. Fresh, M. Logsdon, J. Newton and H. Shipman. Olympia, WA. (in press)
- PWA (Philip Williams & Associates, Ltd.). 2003. Decker Island Phase II Restoration Project – Concept Design. Prepared for MBK Engineers and DWR. May 8, 2003 Memorandum from Michelle Orr, Nick Garrity, and Phil Williams, PWA to Gilbert Cosio and Don Trieu, MBK Engineers. PWA report#1666. Located at: PWA, San Francisco, CA. 10+ p.
- Reed, D.J. 1995. The response of coastal marshes to sea-level rises: survival or submergence? *Earth Surface Processes and Landforms* 20: 39-48.
- Reed, D.J. and Cahoon, D.R. 1992. The relationship between marsh surface topography, hydroperiod, and growth of *Spartina alterniflora* in a deteriorating Louisiana salt marsh. *Journal of Coastal Research* 8: 77-81.
- SFEI (San Francisco Estuary Institute). 2004. Syntheses of Scientific Knowledge for Maintaining and Improving Functioning of the South Bay Ecosystem and Restoring Tidal Salt Marsh and Associated Habitats over the Next 50 Years at Pond and Pond-Complex Scales. Draft Final Report.
- USFWS and USACE (U.S. Fish and Wildlife Service (Sacramento) and U.S. Army Corps of Engineers (Sacramento District)). 1990. Design and biological monitoring of wetland riparian habitats created with dredged materials. Final report. Deepwater Ship Channel monitoring program. Sacramento (CA): Sacramento District Corps of Engineers. 68 p.

HYDROLOGY

- Balance Hydrologics. 2004. Stormwater Management Plan, Cypress Grove Project, City of Oakley, California. Prepared for Sycamore Associates LLC. Berkeley, CA. June.
- Beeman and Krone. (Ogden Beeman & Associates, Inc., RB Krone & Associates, Inc.). 1992. Sediment budget study for San Francisco Bay. Final report. Prepared for the San Francisco District, U.S. Army Corps of Engineers. Located at: Ogden Beeman & Associates, Inc., Portland, OR. 25+ p.
- California Climate Change Center (CCCC) 2006. Our Changing Climate: Assessing the Risks to California. http://www.climatechange.ca.gov/biennial_reports/2006report/index.html. Accessed August 2006.
- California State Water Resources Control Board (SWRCB). 2006. Revised Draft Water Quality Control Plan for the San Francisco Bay/Sacramento-San Joaquin Delta Estuary. November.

- ENGEO Incorporated. 2005. Groundwater Study, Cypress Corridor Specific Plan Area, Contra Costa County, California. October 31.
- FEMA (Federal Emergency Management Agency). 1987. Flood Insurance Study, Contra Costa County, California, unincorporated areas.
- Hultgren-Tillis Engineers. 2005. Geotechnical Consultation, Seepage and Levees, Dutch Slough Tidal Marsh Restoration, Oakley, California. Appendix F *in*: PWA 2006, Dutch Slough Tidal Marsh Restoration Conceptual Plan and Feasibility Report.
- Intergovernmental Panel on Climate Change (IPCC) 2001. Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change [Houghton, J.T., Y. Ding, D.J. Griggs, M. Noguer, P.J. van der Linden, X. Dai, K. Maskell, and C.A. Johnson (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 881pp. http://www.grida.no/climate/ipcc_tar/wg1/409.htm Accessed August 2006.
- Jones and Stokes. 2005. East Contra Costa County Habitat Conservation Plan and Natural Community Habitat Conservation Plan. Draft. June. (J&S 01478.01.) San Jose, CA. June.
- Kleinfelder, Inc. 2006. Geotechnical Services Report: Jersey Island Road Levee Evaluation, Cypress Corridor Specific Plan Area, Contra Costa County, California. Prepared for KB-Home – South Bay. May 1.
- Luhdorff and Scalmanini Consulting Engineers (LSCE) . 2006. Groundwater investigation and monitoring program, Dutch Slough restoration area. Prepared for the Department of Water Resources and Contra Costa Water District. Woodland, CA. May 22.
- Natural Heritage Institute (NHI).2002. Marsh Creek Delta Preliminary Conceptual Restoration Plan.
- Natural Heritage Institute (NHI).2004. Dutch Slough Tidal Marsh Restoration Project Preliminary Opportunities and Constraints Report. Prepared for The California State Coastal Conservancy. February 20.
- Natural Heritage Institute (NHI) and Delta Science Center at Big Break. 2003. Marsh Creek Watershed Report 3rd Edition. Prepared for The California State Coastal Conservancy, the San Francisco Bay Fund, and the CALFED Bay-Delta Program. November.
- NOAA COOPS (National Oceanic and Atmospheric Administration Center for Operational Oceanographic Products and Services). 2003. URL: <http://www.co-ops.nos.noaa.gov/benchmarks/9415053.html>. Accessed May 2006.
- PWA (Philip Williams & Associates, Ltd.), Pacific Estuarine Research Lab, and Louisiana Universities Marine Consortium. 1995. Design guidelines for tidal channels in coastal wetlands. Prepared for the U.S. Army Corps of Engineers Waterways Experiment Station. PWA report #934. Located at: PWA, San Francisco, CA. 46+ p.
- Stellar Environmental Solutions, Inc., 2007, Marsh Creek Sediment and Water Quality Baseline Monitoring Y2006-Y2007 Marsh Creek, California. Prepared for Natural Heritage Institute San Francisco, California.

- Williams PB, Orr M.K., Garrity NJ. 2002. Hydraulic geometry: a geomorphic design tool for tidal marsh channel evolution in wetland restoration projects. *Restoration Ecology* 10:577-590.
- Wright SA, Schoellhamer DH. 2003. Trends in the sediment yield of the Sacramento River, 1957-2001 [abstract]. In: CALFED Science Conference 2003 Abstracts; 14-16 Jan 2003, Sacramento. Sacramento (CA): CALFED Bay-Delta Program. p 177.

WATER QUALITY

- Amy GL, Thompson JM, Tan L, Davis MK, Drasner SW. 1990. Evaluation of THM precursor contributions from agricultural drains. *Journal of the American Water Works Association* 80:57-64.
- Balance Hydrologics, Inc. 2005. Hydrology and Water Quality Analyses for the East Cypress Corridor Specific Plan. Report.
- Beutel, M., K. Abu-Saba, L. Walker. 2004. South Bay Salt Pond Restoration Project, mercury technical memorandum.
- Birkett, J.W. 2003. Scope of the Problem, in Endocrine disrupters in wastewater and sludge treatment processes Eds: J.W. Birkett and J.N. Lester. CRC Press LLC, FL. p295.
- Bloom N. S. 1992. On the chemical form of mercury in edible fish and marine invertebrate tissue. *Can J Fish Aqua Sci* 49:1010-1017
- Bodaly, R.A., and R.J.P. Fudge. 1999. Uptake of mercury by fish in an experimental boreal reservoir. *Arch. Environ. Contam. Toxicol.* 37(1):103-109
- Brown, L.R. 2003. Potential effects of organic carbon production on ecosystems and drinking water quality In: Larry R. Brown, editor. *Issues in San Francisco Estuary Tidal Wetlands Restoration. San Francisco Estuary and Watershed Science. Vo. 1, Issue 1 (October 2003), Article 3.* <http://repositories.cdlib.org/jmie/sfews/vol1/iss1/art3>.
- Brown and Caldwell. 2006. Dutch Slough Water and Sediment Quality Monitoring Plan. Appendix C-2 of Dutch Slough Tidal Marsh Restoration Conceptual Plan and Feasibility Report, Philip Williams and Associates, May 12, 2006.
- California Climate Change Center (CCCC) 2006. Our Changing Climate: Assessing the Risks to California. http://www.climatechange.ca.gov/biennial_reports/2006report/index.html. Accessed August 2006.
- Clarkson TW. 2002. The three modern faces of mercury. *Environ Health Perspect.* Feb;110 Suppl 1:11-23.
- CVRWQCB. 2004. Water Quality Control Plan (Basin Plan) for the California Regional Water Quality Control Board Central Valley Region, Sacramento River Basin and San Joaquin River Basin. Fourth Edition, Revised September 2004.
- Department of Water Resources (DWR). 2003. Modeled impacts of Delta peat island drainage on organic carbon levels at selected Delta municipal water intakes – Memorandum Report. Division of Environmental Services, Office of Water Quality, Municipal Water Quality Investigations Unit. October 2003.

- Giger, W. 1999. Emerging chemical drinking water contaminants. In Identifying future drinking water contaminants. \Ed.: National Research Council, National Academy Press, Wash DC, 1999.
- Gomes, R.L. and J.N. Lester. 2003a. Endocrine disrupters in receiving waters, in Endocrine disrupters in wastewater and sludge treatment processes. Eds.: J.W. Birkett and J.N. Lester. CRC Press LLC, FL. p295.
- Gomes, R.L. and J.N. Lester. 2003b. Endocrine disrupters in drinking water and water reuse, In Endocrine disrupters in wastewater and sludge treatment processes. Eds: J.W. Birkett and J.N. Lester. CRC Press LLC, FL. p295.
- Grieb, T. M., Driscoll, C. T., Gloss, S. P., Schofield, C. L., and Porcella, D. B.: 1990, Factors Affecting Mercury Accumulation in Fish in the Upper Michigan Peninsula, *Environ. Toxicol. Chem.* 9, 919–930.
- Hall, B.D., Bodaly, R.A., Fudge, R.J., Rudd, J.W., and Rosenberg, D.M. 1997. Food as the dominant pathway of methylmercury uptake by fish. *Water Air Soil Pollut.* 100: 13–24.
- Harms, H.H. 1986. Bioaccumulation and metabolic fate of sewage sludge-derived organic xenobiotics in plants, *Sci. Total Environ.*, 185, 83, 1986.
- Hecky RE, Ramsey DJ, Bodaly RA and Strange NE 1991. Increased methylmercury contamination in fish in newly formed freshwater reservoirs. In: Suzuki T, Imura N and Clarkson TW (eds) *Advances in Mercury Toxicology*. Plenum Press, New York, pp 33–52.
- Intergovernmental Panel on Climate Change (IPCC) 2001. Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change [Houghton, J.T., Y. Ding, D.J. Griggs, M. Noguer, P.J. van der Linden, X. Dai, K. Maskell, and C.A. Johnson (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 881pp.
http://www.grida.no/climate/ipcc_tar/wg1/409.htm Accessed August 2006.
- Ironhouse Sanitary District. 2005. Background Groundwater Quality Study Report. Submitted to the Central Valley Regional Water Quality Control Board, May 12, 2005.
- Jassby AD. 1992. Appendix A: Organic carbon sources for the food web of San Francisco Bay. In: Herbold B, Jassby AD, Moyle PB. Status and trends report on aquatic resources in the San Francisco Estuary. Oakland (CA): San Francisco Estuary Project.
- Jassby AD, JECloern, and TMPowell. 1993. Organic carbon sources and sinks in San Francisco Bay: variability induced by river flow. *Marine Ecology Progress Series* 95:39-54.
- Jassby AD, Cloern JE. 2000. Organic matter sources and rehabilitation of the Sacramento-San Joaquin Delta (California, USA). *Aquatic Conservation: Marine and Freshwater Ecosystems* 10:323-352.
- Levine, B., K. Reich, P. Shields, I.H. Suffet and V. Lazaroova. 2001. Water quality assessment for indirect potable reuse: a new methodology for controlling trace organic compounds at the West Basin Water Recycling Plant (California, USA), *Water Sci. Technol.* 43, 249.

- Mahaffey KR. 2000. Recent advances in recognition of low-level methyl mercury poisoning, in *Curr Opin Neurol*, 13(6), 699-707.
- Marvin DiPasquale, M.C., J.L. Agee, R.M. Bouse, B.E. Jaffe. 2003. Microbial cycling of mercury in contaminated pelagic and wetland sediments of San Pablo Bay, California. *Environmental Geology* 43(3):260-267.
- National Research Council, National Academy of Sciences, 2000. *Toxicological Effects of Methylmercury*.
- Natural Heritage Institute (NHI) and Delta Science Center at Big Break. 2003. Marsh Creek Watershed Report 3rd Edition. Prepared for The California State Coastal Conservancy, the San Francisco Bay Fund, and the CALFED Bay-Delta Program. November.
- Oltmann, R.N. 1998. Indirect Measurement of Delta Outflow using Ultrasonic Velocity Meters and Comparison with Mass-Balance Calculated Outflow. An article from the Interagency Ecological Program (IEP) for the Sacramento-San Joaquin Estuary Newsletter Vol.11, No.1 -- Winter 1998
- Orr, J. C., O. Aumont, A. Yool, G.-K. Plattner, F. Joos, E. Maier-Reimer, M.-F. Weirig, R. Schlitzer, K. Caldeira, M. E. Wickett, R. J. Matear, B. Mignone, J. L. Sarmiento, J. Davison. 2003. The GOSAC project to predict the efficiency of ocean CO₂ sequestration using 3-D ocean models. *Proceedings of the Sixth International Conference on Greenhouse Gas Control Technologies*.
- Patterson, M., J. Rudd, and V. St. Louis. 1998. Increases in Total and Methylmercury in Zooplankton following Flooding of a Peatland Reservoir. *Environmental Science and Technology*, 32, 3868-3874.
- Reddy, K.R. 2005. Review of Delta wetlands water quality: release and generation of dissolved organic carbon from flooded peatlands. Wetland Biogeochemistry Laboratory Soil and Water Science Department, University of Florida, Gainesville, Fl. 32611. Final Report prepared for In-Delta Section, Division of Planning and Local Assistance, Department of Water Resources, Sacramento, CA.
- San Francisco Bay Regional Water Quality Control Board (SFRWQCB). 2000. Beneficial Reuse of Dredged Materials: Sediment Screening and Testing Guidelines. Staff report prepared by Fred Hetzel and Glynnis Collins, San Francisco Bay Regional Water Quality Control Board, Oakland, CA May 2000. 31 pp.
- San Francisco Bay Regional Water Quality Control Board. 2003. Mercury in San Francisco Bay: Total Maximum Daily Load (TMDL) Project Report. Oakland, California: California Environmental Protection Agency.
- Schober SE, Sinks TH, Jones RL, Bolger PM, McDowell M, Osterloh J, et al. 2003. Blood mercury levels in U.S. children and women of childbearing age, 1999-2000. *JAMA* 289:1667-1674.
- Slotton, D. G., Ayers, S. M., Reuter, J. E., 1998. Marsh Creek Watershed Mercury Assessment Project. Conducted for Contra Costa County, California.
- Slotton, D. G., S.M. Ayers, R.D. Weyand. 2006. California Bay Delta Authority Biosentinel Mercury Monitoring Program, First Year Draft Data Report Covering Sampling Conducted August 2005-February 2006. BIOSENTINEL

- State Water Resources Control Board. 2003. Section 303(d) List of Water Quality Limited Segments. http://www.waterboards.ca.gov/tmdl/303d_lists.htm
- Stellar Environmental Solutions, Inc. 2006. Soil Sampling and Analytical Results, Dutch Slough Restoration Project. Draft Report.
- U.S. Environmental Protection Agency (USEPA). 2006. Conceptual Model for Organic Carbon in the Central Valley and Sacramento-San Joaquin Delta. Final Report. Prepared for USEPA region 9 and Central Valley Drinking Water Policy Group by Tetra Tech, Inc.
- U.S. Geological Survey (USGS). 2000. Delta Subsidence in California. The Sinking Heart of the State.
- Wiener, J.G., C.C. Gilmour and D.P. Krabbenhoft. 2003. Mercury Strategy for the Bay-Delta Ecosystem: A Unifying Framework for Science, Adaptive Management, and Ecological Restoration: Final Report to the California Bay Delta Authority.
- Ying, G., R. Kookana, and T. D. Waite. 2004. Endocrine disrupting chemicals (EDCs) and Pharmaceuticals and Personal Care Products (PPCPs) in reclaimed water in Australia. Australian Water Conservation and Reuse Research Program. 35 pp.

GEOLOGY AND SOILS

- Association of Bay Area Governments (ABAG) 2006. Shaking Intensity Maps and Information. <http://www.abag.ca.gov/bayarea/eqmaps/mapsba.html>. Accessed July 2006.
- CALFED 1998. Seismic vulnerability of the Sacramento-San Joaquin Delta Levees, CALFED Bay-Delta Program, Seismic Vulnerability. December.
- California Climate Change Center (CCCC) 2006. Our Changing Climate – Assessing the Risks to California. http://www.climatechange.ca.gov/biennial_reports/2006report/index.html. Accessed August 2006.
- California Department of Conservation, Division of Mines and Geology 1999. Fault-Rupture Hazard Zones In California, Alquist-Priolo Earthquake Fault Zoning Act with Index To Earthquake Fault Zones Maps. Special Publication 42. Authored by Earl W. Hart And William A. Bryant. Revised 1997, Supplements 1 and 2 added 1999.
- Cao, Tianqing, William A. Bryant, Badie Rowshandel, David Branum, and Christopher J. Wills. 2003. The Revised 2002 California Probabilistic Seismic Hazard Maps. June.
- Graymer, R. W. Jones D. L. and Brabb E. E., 2002, Geologic Map and Map Database of Northeastern San Francisco Bay Region, California: Most of Solano County and Parts of Napa, Marin, Contra Costa, San Joaquin, Sacramento, Yolo, and Sonoma Counties. US Geological Survey.
- Hultgren-Tillis Engineers 2005. Geotechnical Consultation Seepage and Levees Dutch Slough Tidal Marsh Restoration. August 17.
- Hultgren-Tillis Engineers. 2009. Geotechnical Investigation. Reclamation District 2137, Stations 0 to 201+34. Contra Costa County, California. February 5, 2009.

- Intergovernmental Panel on Climate Change (IPCC) 2001. Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change [Houghton, J.T., Y. Ding, D.J. Griggs, M. Noguer, P.J. van der Linden, X. Dai, K. Maskell, and C.A. Johnson (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 881pp. http://www.grida.no/climate/ipcc_tar/wg1/409.htm. Accessed August 2006.
- Kleinfelder Inc. 2003. Geotechnical Levee Evaluation Cypress Lakes and Country Club Hotchkiss Tract Contra Costa County. Prepared for Shea Homes. February 2003.
- _____. 2004. Soils, Geologic and Seismic Conditions East Cypress Corridor Specific Plan City of Oakley, California. Prepared for McLarand Vasquez Emsiek & Partners, Inc. December 13.
- _____. 2006. Geotechnical Services Report Jersey Island Road Levee Evaluation Cypress Corridor Specific Plan Area Contra Costa County. Prepared for KB Home South Bay. May 1.
- Reed DJ. 2002. Sea-level rise and coastal marsh sustainability: geological and ecological factor in the Mississippi delta plain. *Geomorphology* 48:233-243.
- Soil Conservation Service (SCS) 1977. Soil Survey of Contra Costa County. United States Department of Agriculture Soil Conservation Service. September.
- Petersen et al. 1996. Probabilistic Seismic Hazard Assessment for the State of California: California Division of Mines and Geology Open-File Report 96-08.
- PWA 2006. Dutch Slough Tidal Marsh Restoration Conceptual Plan & Feasibility Report. Prepared for the California State Coastal Conservancy by Philip Williams & Associates, Ltd.
- Roger Foott and Associates (1993). Levee Upgrading Study, Hotchkiss Tract, Contra Costa County, California, 175-003.
- United States Army Corps of Engineers (USACE) 2005. Design Guidance for Levee Underseepage. Engineering and Design Technical Letter No. 1110-2-569.
- United States Geological Survey (USGS) Working Group on California Earthquake Probabilities 2003. Earthquake Probabilities in the San Francisco Bay Region: 2002-2031. Open-File Report 03-214. US Geological Survey. http://pubs.usgs.gov/of/2003/of03-214/WG02_OFR-03-214_ExecSummary.pdf. Accessed May 11, 2006.
- United States Geological Survey (USGS) 2006. Preliminary Maps Of Quaternary Deposits And Liquefaction Susceptibility, Nine-County San Francisco Bay Region, California: A Digital Database Open-File Report 00-444. Online version 1.0. <http://pubs.usgs.gov/of/2000/of00-444/>

BIOLOGICAL RESOURCES: TERRESTRIAL AND WETLANDS

- Arnold, R.A. 2005. Habitat assessment for special-status insects and invertebrates for the Dal Porto North, Dal Porto South, Leshner, and Biggs Properties near Oakley in Eastern Contra Costa County, California. Unpublished letter report.

- _____.2005. Report on focused surveys for five special-status beetles, Dal Porto North, Dal Porto South, Leshner, and Biggs Properties near Oakley in Eastern Contra Costa County, California. Unpublished letter report.
- Atwater BF, Conard SG, Dowden JN, Hedel CW, MacDonald RL, Savage W. 1979. History, landforms, and vegetation of the estuary's tidal marshes. In: Conomos TJ, Leviton AE, Berson M, editors. San Francisco Bay: the urbanized estuary. San Francisco (CA): Pacific Division, AAAS. p 347-385.
- Atwater BF, Hedel CW. 1976. Distribution of seed plants with respect to the tide levels and water salinity in the natural tidal marshes of the northern San Francisco Bay estuary, California. Preliminary report. U.S. Geological Survey Open File Report 76-389.
- Baye, P.R., P.M. Faber and B. Grewell. 2000. Tidal marsh plants of the San Francisco Estuary. In: Olofson, P.R., ed. 2000. Baylands Ecosystem Species and Community Profiles: life histories and environmental requirements of key plants, fish, and wildlife. Goals Project (Baylands Ecosystem Habitat Goals), pp. 9-32. San Francisco Bay Regional Water Quality Control Board, Oakland, California.
- Delta Habitats Group, 2002. Report of the Delta Habitats Group, CALFED ISB Adaptive Management Workshop, March 19-20, 2002. Prepared by Denise Reed, ISB Adaptive Management Subcommittee and Bruce DiGennaro, Kleinschmidt.
- Dexter, W. 2004-2005 Wet season branchiopod survey report – Biggs, Oakley, Contra Costa County, California. Condor Country Consulting, Martinez, CA.
- _____.2005. 2004-2005 Wet season branchiopod survey report – Dal Porto South, Oakley, Contra Costa County, California. Condor Country Consulting, Martinez, CA.
- _____.2005. 2004-2005 Wet season branchiopod survey report – Dal Porto North and Leshner, Contra Costa County, California. Condor Country Consulting, Martinez, CA.
- DWR 2005. Botanical Assessment of the Dutch Slough Wetlands Restoration Project, (with maps). Unpublished report, California Department of Water Resources, Sacramento, California.
- _____.2005b. Dutch Slough Wetlands Restoration Project Avian Report: Analysis of Impacts and Benefits. Unpublished report prepared by Michael Bradbury, California Department of Water Resources, Sacramento, California.
- NHI. 2004. Dutch Slough Tidal Marsh Restoration Project Preliminary Opportunities and Constraints Report. Prepared by the Natural Heritage Institute, San Francisco, for the California State Coastal Conservancy.
- Pavlik, B. 1996. Identity and status of *Oenothera* population, Summit Project Site, Concord, CA. Unpublished letter report to James A. Martin, Environmental Collaborative, Pt. Richmond, CA.
- Schwarzbach, S., and T. Adelsbach. 2003. Field assessment of avian mercury exposure in the Bay-Delta ecosystem. Final Report to the California Bay Delta Authority.
- Sycamore Associates.1999. Biological Assessment of the Emerson and Burroughs Properties, Oakley, Contra Costa County, California. Sycamore Associates LLC, Walnut Creek, California.

- _____.2004. Biological Assessment for the 180-acre Dal Porto Property, Oakley, Contra Costa County. Sycamore Associates, Walnut Creek, CA.
- _____.2004. Biological Assessment for the 351-acre Biggs Property, Oakley, Contra Costa County. Sycamore Associates, Walnut Creek, CA.
- _____.2004. Biological and Wetlands Assessment for the 362-acre Leshner Property, Oakley, Contra Costa County. Sycamore Associates, Walnut Creek, CA.
- _____.2005. Biological Assessment for the 180-acre Dal Porto South Property, Oakley, Contra Costa County. Sycamore Associates, Walnut Creek, CA.
- _____.2005. Biological Assessment for the 360-acre Leshner Property, Oakley, Contra Costa County. Sycamore Associates, Walnut Creek, CA.
- _____.2005b. Silvery legless lizard presence/absence surveys for the Biggs, Leshner, and Dal Porto South properties within the East Cypress Corridor Specific Plan Area. Sycamore Associates, Walnut Creek, CA.
- _____.2005c. Swainson's hawk foraging habitat analysis for the East Cypress Corridor Specific Plan Area, Oakley, Contra Costa County, California. Sycamore Associates, Walnut Creek, CA.
- _____.2005d. Burrowing Owl Habitat Assessment and Focused Nesting Season and Winter Season Surveys for the 351-acre Biggs Property, Oakley, Contra Costa County. Sycamore Associates, Walnut Creek, CA.
- _____.2005d. Burrowing Owl Habitat Assessment and Focused Nesting Season and Winter Season Surveys for the 180-acre Dal Porto South Property, Oakley, Contra Costa County. Sycamore Associates, Walnut Creek, CA.
- _____.2005d. Burrowing Owl Habitat Assessment and Focused Nesting Season and Winter Season Surveys for the 362-acre Leshner Property, Oakley, Contra Costa County. Sycamore Associates, Walnut Creek, CA.
- Swaim, K. 2004. Results of surveys for the giant garter snake (*Thamnophis gigas*) in Marsh Creek and the Contra Costa Canal, Northeast Contra Costa County, California. Report prepared for Sycamore Associates LLC, Walnut Creek, by Karen Swaim, Swaim Biological Consulting, Livermore CA.
- _____.2005. Results of surveys for the giant garter snake (*Thamnophis gigas*) at the Biggs Property in Northeast Contra Costa County, California. Report prepared for Sycamore Associates LLC, Walnut Creek, by Karen Swaim, Swaim Biological Consulting, Livermore CA.
- _____.2005. Results of surveys for the giant garter snake (*Thamnophis gigas*) at the Leshner Property in Northeast Contra Costa County, California. Report prepared for Sycamore Associates LLC, Walnut Creek, by Karen Swaim, Swaim Biological Consulting, Livermore CA.
- _____.2005. Results of surveys for the giant garter snake (*Thamnophis gigas*) at the Dal Porto North Property in Northeast Contra Costa County, California. Report prepared for Sycamore Associates LLC, Walnut Creek, by Karen Swaim, Swaim Biological Consulting, Livermore CA.

- _____.2005. Results of surveys for the giant garter snake (*Thamnophis gigas*) at the Dal Porto South Property in Northeast Contra Costa County, California. Report prepared for Sycamore Associates LLC, Walnut Creek, by Karen Swaim, Swaim Biological Consulting, Livermore CA.

BIOLOGICAL RESOURCES (AQUATIC)

- Baker, J.T. 1969. Histological and Microscopical Observations on Copper Poisoning in the Winter Flounder (*Pseudopleuronectes americanus*). Journal of the Fisheries Research Board of Canada 26: 2785-2793.
- Bennett, W. A., David J. Ostrach and David E. Hinton. 1995. Larval Striped Bass Condition in a Drought-Stricken Estuary: Evaluating Pelagic Food-Web Limitation. Ecological Applications 5 (3): 680-692.
- Brown, Larry R. 2003. Will Tidal Wetland Restoration Enhance Populations of Native Fishes? In: Larry R. Brown, editor. Issues in San Francisco Estuary Tidal Wetlands Restoration. San Francisco Estuary and Watershed Science. Vol. 1, Issue 1 (October 2003), Article 2. <http://repositories.cdlib.org/jmie/sfews/vol1/iss1/art2>
- Brown, Larry R. and Dennis Michniuk. 2007. Littoral Fish Assemblages of the Alien-dominated Sacramento-San Joaquin Delta, California, 1980-1983 and 2001-2003. Estuaries and Coasts 30 (1): 186-200.
- California Climate Change Center (CCCC) 2006. Our Changing Climate: Assessing the Risks to California. http://www.climatechange.ca.gov/biennial_reports/2006report/index.html. Accessed August 2006.
- Cain J.R. and J. D. Robins. 2003. The past and present condition of the Marsh Creek Watershed. National heritage Institute. <http://www.n-h-i.org/Publications/Publications.html>.
- Conomos, John T., editor. 1979. San Francisco Bay: The Urbanized Estuary. Investigation into the natural history of San Francisco Bay and Delta with reference to the influence of man. Reproduced from: Pacific Division AAAS, San Francisco, California. 493 p. http://www.estuaryarchive.org/archive/conomos_1979
- Dege, M. and L. R. Brown. 2004. Effect of Outflow on Spring and Summertime Distribution and Abundance of Larval and Juvenile Fishes in the Upper San Francisco Estuary in F. Feyrer, L. R. Brown, R. L. Brown, and J. J. Orsi, editors. Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland.
- Edwards, R.W and V.M. Brown. 1967. Pollution and Fisheries; a Progress Report. Water Pollution Control 66: 63-78.
- Federal Register 1993. Endangered and Threatened Wildlife and Plants; Determination of Threatened Status for the Delta Smelt; Final Rule, 58 Federal Register 42 (5 March 1993) pp. 12854-12864.

- Federal Register 1999. Endangered and Threatened Wildlife and Plants; Determination of Threatened Status for the Sacramento Splittail; Final Rule, 64 Federal Register 25 (8 February 1999) pp. 5963-5981.
- Feyrer, F., and M. P. Healey. 2003. Fish community structure and environmental correlates in the highly altered southern Sacramento-San Joaquin Delta. *Environmental Biology of Fishes* 66:123-132.
- Gomez, R.L. and J.N. Lester. 2003. Endocrine Disruptors in Receiving Waters, *in* Endocrine Disruptors in Wastewater and Sludge Treatment Processes, J.W. Birkett and J.N. Lester *eds.* CRC Press LLC, FL. 295pp.
- Grimaldo, L.F. and Z. Hymanson. 1999. What is the impact of the introduced Brazilian Waterweed *Egeria densa* to the Delta Ecosystem? IEP Newsletter 12(1): 43-45.
- Grimaldo, L.F., R.E. Miller, C. Peregrin. 2000. Examining the relative predation risks of juvenile Chinook salmon in shallow water habitats of the central Delta: the effect of submerged aquatic vegetation on predation risk. IEP Newsletter 13(1):55-59.
- Grimaldo L. F., R. E. Miller, C. M. Peregrin, and Z. P. Hymanson. 2004. Spatial and Temporal Distribution of Native and Alien Ichthyoplankton in Three Habitat Types of the Sacramento-San Joaquin Delta *in* F. Feyrer, L. R. Brown, R. L. Brown, and J. J. Orsi, editors. Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society, Symposium 39: 81-96, Bethesda, Maryland
- Hobbs, D.F. 1937. Natural reproduction of quinnat salmon, brown and rainbow trout in certain New Zealand waters. N.Z. Mar. Dep. Fish. Bull No. 6.
- Intergovernmental Panel on Climate Change (IPCC) 2001. Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change [Houghton, J.T., Y. Ding, D.J. Griggs, M. Noguer, P.J. van der Linden, X. Dai, K. Maskell, and C.A. Johnson (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 881pp.
http://www.grida.no/climate/ipcc_tar/wg1/409.htm Accessed August 2006.
- Kemp, H. A. 1949. Soil Pollution in the Potomac River Basin. American Water Works Association, Journal 41 (9): 792-796.
- Kimmerer W. J. 2002. Physical, biological, and management responses to variable freshwater flow into the San Francisco estuary. *Estuaries* 25 (6B): 1275-1290.
- Kneib R. T. 2003. Bioenergetic and landscape considerations for scaling expectations of nekton production from intertidal marshes. *Marine Ecology-Progress Series* 264: 279-296.
- Kneib R. T. and S. L. Wagner. 1994. Nekton use of vegetated marsh habitats at different stages of tidal inundation. *Marine Ecology-Progress Series* 106 (3): 227-238
- Madon S. P., G. D. Williams, J. M. West, J. B. Zedler. 2001. The importance of marsh access to growth of the California killifish, *Fundulus parvipinnis*, evaluated through bioenergetics modeling. *Ecological Modeling* 136 (2-3): 149-165.

- Madej, A. 2004. How suspended organic sediment affects turbidity and fish feeding behavior. USGS Sound Waves. <http://soundwaves.usgs.gov/2004/11/research2.html>
- Marchetti M. P., P. B. Moyle, R. Levine. 2004. Alien fishes in California watersheds: Characteristics of successful and failed invaders. *Ecological Applications* 14 (2): 587-596.
- Matern S. A., P. B. Moyle, L. C. Pierce. 2002. Native and alien fishes in a California estuarine marsh: Twenty-one years of changing assemblages. *Trans. Amer. Fish. Soc.* 131 (5): 797-816.
- Matthiessen, P. and J. P. Sumpter. 1998. Effects of Estrogenic Substances in the Aquatic Environment. *Fish Ecotoxicology*: 319-335.
- McGowan, M.F. 1999. Fishes Associated with Submersed Aquatic Vegetation, *Egeria densa*, in the Sacramento-San Joaquin Delta in 1998 as Sampled by Pop Nets. Unpublished Report prepared for California Department of Boating and Waterways, Romberg Tiburon Center, San Francisco State University, San Francisco, CA.
- Minello T. J., K. W. Able, M. P. Weinstein, and C.G. Hays. 2003. Salt marshes as nurseries for nekton: testing hypotheses on density, growth and survival through meta-analysis. *Marine Ecology-Progress Series* 246: 39-59.
- Moyle, P.B. 2002. *Inland fishes of California*. University of California Press, Berkeley and Los Angeles, CA
- Moyle, P.B., B. Herbold, D. E. Stevens and L. W. Miller. 1992. Life history and status of delta smelt in the Sacramento-San Joaquin Estuary, California. *Trans. Amer. Fish. Soc.* 121:67-77
- Moyle, PB., J.E. Williams, and ED. Wikramanayake. 1989. Fish species of special concern of California. Final report prepared for State of California. Department of Fish and Game, Inland Fisheries Division, Rancho Cordova, California. 222 pp.
- Moyle P. B. 1976. Some effects of channelization on fishes and invertebrates of rush creek, Modoc-county, California. *California fish and game* 62 (3): 179-186.
- Nobriga M., M. Chotkowski. 2000. Recent historical evidence of centrarchid increases and tule perch decrease. *Interagency Ecological Program Newsletter* 13 (1): 23-27.
- Nobriga M. L., F. Feyrer, R. D. Baxter, and M. Chotkowski. 2005. Fish community ecology in an altered river delta: Spatial patterns in species composition, life history strategies, and biomass. *Estuaries* 28 (5): 776-785
- Nobriga, M. L. and F. Feyrer. 2007. Shallow-Water Piscivore-Prey Dynamics in California's Sacramento-San Joaquin Delta. *San Francisco Estuary and Watershed Science*. 5 (2): 4.
- Orsi, James J. 1999. Report on the 1980-1995 Fish, Shrimp, and Crab Sampling in the San Francisco Estuary, California. http://www.estuaryarchive.org/archive/orsi_1999.
- Philip Williams & Associates, Ltd. 2006. Dutch Slough Tidal Marsh Restoration Conceptual Plan & Feasibility Report.
- Rockriver, A. 2007. 2007 Decker Island fish monitoring report. Draft report to the Delta Levee Habitat Improvement Program, CA Department of Fish and Game. 19pp.

- RWQCB, Central Valley Region. 2004. The water quality control plan (Basin Plan) for the California Regional Water Quality Control Board, Central Valley Region, 4th Edition. Sacramento, CA. 94 pp.
- Simenstad, C., J. Toft, H. Higgins, J. Cordell, M. Orr, P. Williams, L. Grimaldo, Z. Hymanson, and D. Reed and others (BREACH Interdisciplinary Research Team). 2000. Sacramento/San Joaquin Delta Breached Levee Wetland Study (BREACH), Preliminary Report to CALFED.
- Sindermann, C.J., R. Lloyd, S. Vader, R. Bourve. 1982. Implications of oil pollution in production of disease in marine organisms. Philosophical Transactions of the Royal Society of London, Series B: Biological Sciences 28: 385-399.
- Stellar Environmental Solutions, Inc. 2006. Soil Sampling and Analytical Results, Dutch Slough Restoration Project. Draft Report.
- Vogelbein, W. K. and M.A. Unger. 2006. Liver Carcinogens in a Non-Migratory Fish: the Association with Polycyclic Aromatic Hydrocarbon Exposure. Bulletin of the European Association of Fish Pathologists 26 (1): 11-20.
- Wang, Johnson C. S. 1986. Fishes of the Sacramento-San Joaquin Estuary and Adjacent Waters, California: A Guide to the Early Life Histories California Department of Water Resources, California Department of Fish and Game, U. S. Bureau of Reclamation and U. S. Fish and Wildlife Service. Technical Report 9.
- Wang, J.C.S. 1991. Early life stages and early life history of the Delta smelt, *Hypomesus transpacificus*, in the Sacramento-San Joaquin estuary, with comparison of early life stages of the longfin smelt, *Spirinchus thaleichthys*. Interagency Ecological Studies Program for the Sacramento-San Joaquin Estuary. Tech. Rept. 28.
- Waters, T.F. 1995. Sediment in streams: sources, biological effects, and control. American Fisheries Society Monograph 7. Bethesda, MD.
- Williams G. D., J. B. Zedler. 1999. Fish assemblage composition in constructed and natural tidal marshes of San Diego Bay: Relative influence of channel morphology and restoration history. Estuaries 22 (3A): 702-716 SEP 1999.
- Yang, X. 2005. Use of Fish Biomarkers to Assess the Contaminant Exposure and Effects in Lake Erie Tributaries. Dissertation Abstracts International Part B: Science and Engineering 66 (1): 182.

Long-term monitoring studies in the San Francisco Estuary:

- (1) CDFG Summer Townet Survey
- (2) CDFG Fall Midwater Trawl Survey
- (3) USFWS Chipps Island trawl survey
- (4) U.C. Davis Suisun Marsh trawling and seining surveys
- (5) USFWS Beach Seine Survey
- (6) CDFG San Francisco Bay trawling survey

East Contra Costa County Habitat Conservation Plan Association 2006. Final East Contra Costa County Habitat Conservation Plan/Natural Community Conservation Plan. October 2006.

CULTURAL RESOURCES

Baker, S. 1985. Archaeological Reconnaissance of the Burroughs Property, Contra Costa County, California. Report #S-07639 on file at the Northwest Information Center of the California Historical Resources Information System, Sonoma State University.

California, State of, Department of Parks and Recreation, Office of Historic Preservation (CAL/OHP) 1973. The California History Plan. Volume One - Comprehensive Preservation Program, Volume Two - Inventory of Historic Features.

California (State of), Department of Water Resources. Negative Archaeological Survey Report. Dutch Slough Wetland Restoration Project.

Contra Costa County Community Development Department (CCC/CDD)

_____ 1976. Preliminary Historic Resources Inventory, Contra Costa County, California.

_____ 1989. Revised Preliminary Historic Resources Inventory, Contra Costa County, California.

Contra Costa County Historical Society (CCCoHS). 1994. Contra Costa County Map of Historical Points of Interest: giving precise locations of 195 sites of historical interest. Scale [ca. 1:96,000] (W 122016'—W 121032'/N 38007'—N 37013'). The Society, [Martinez, Calif.].

Holman & Associates, A Report of Findings of a Cultural Resources Survey of the Ironhouse Sanitary District (ISD) Project, Oakley and Jersey Island, Contra Costa County, California. September 2005.

Historic Record Co. 1926. History of Contra Costa County. Los Angeles, Historic Record Co.

Hulaniski, Frederick J. 1917. History of Contra Costa County. Berkeley, Elms Publishing Co.

Leighton, Kathy. 2001. Footprints in the Sand. Ann Arbor, Sheridian Books, Inc. City of Brentwood and East Contra Costa Historical Society Publication.

Purcell, Mae Fisher. 1940. History of Contra Costa County. Berkeley, Gillick Press.

Slocum, W.A. & Co. 1882. History of Contra Costa County. San Francisco, W.A. Slocum & Co.. Reprint Brooks-Sterling.

HAZARDS AND HAZARDOUS MATERIALS

California Department of Water Resources. 2003a. Review of Phase I Environmental Assessment Report for Gilbert Property – Dutch Slough Tidal Marsh Restoration Project. DWR Memorandum, March 19, 2003.

_____ 2003b. Review of Phase I Environmental Assessment Report for Burroughs Property – Dutch Slough Tidal Marsh Restoration Project. DWR Memorandum, April 7, 2003.

- _____. 2003c. Review of Phase I Environmental Assessment Report for Emerson Property – Dutch Slough Tidal Marsh Restoration Project. DWR Memorandum, April 7, 2003.
- _____. 2003d. DWR Action/Response to Site Assessment Section’s Review of Dutch Slough Phase I Reports. Internal DWR Memo to Dutch Slough File, August 25, 2003.
- _____. 2003e. Environmental Remediation with the Dutch Slough (Burroughs, Emerson & Gilbert) properties. DWR letter to State Coastal Conservancy, October 30, 2003.
- _____. 2003f. Residual TPH in Soil – Burroughs Excavation. Internal DWR Memo to Dutch Slough File, October 9, 2003.
- _____. 2003g. Review of Emerson Dairy Soil and Groundwater Testing Report. DWR Memorandum, August 18, 2003.
- California Department of General Services 2003. Environmental Services Action/Response to Review of Dutch Slough Phase I/II Reports and Site Visit. Internal Memo, September 15, 2003.
- Collins, J. N., and V. H. Resh. 1989. Guidelines for the ecological control of mosquitoes in non-tidal wetlands of the San Francisco Bay Area. Sacramento: California Mosquito Vector Control Association, Inc., and University of California Mosquito Research Program.
- Kwasny, Dean C., Mike Wolder, and Craig R. Isola. 2004. Central Valley Joint Venture Technical Guide to Best Management Practices for Mosquito Control in Managed Wetlands
- ENGEO, Inc. 2003a. Phase One Environmental Site Assessment. Emerson Properties (State Parcels) Sellers Avenue, Oakley, California. Project No. 4603.1.007.01. January 29, 2003.
- ENGEO, Inc. 2003b. Phase One Environmental Site Assessment. Burroughs Properties (State Parcels) Jersey Island Road, Oakley, California. Project No. 4603.1.004.01. January 29, 2003.
- ENGEO, Inc. 2003c. Natural Gas Well Site Assessment. Burroughs Properties (State Parcels) Jersey Island Road, Oakley, California. Project No. 4603.1.004.03. July 30, 2003.
- ENGEO, Inc. 2003d. Soil and Groundwater Testing. Emerson Properties (State Parcels) Sellers Avenue, Oakley, California. Project No. 4603.1.007.03. July 23, 2003
- Sequoia Environmental Consulting Services. 2003. Phase I Environmental Site Assessment Report. 7100 Sellers Avenue (CALFED), Oakley California. Project Code BG-01A. January 15, 2003.