RECLAMATION DISTRICT # 348

500 Capitol Mall, Suite 1000 Sacramento, CA 95814

MEETING NOTICE & AGENDA

- DATE: August 11, 2022
- TIME: **2:00 P.M.**
- PLACE: Croce, Sanguinetti, & Vander Veen 3520 Brookside Road, #141 Stockton, CA 95219

1. CALL TO ORDER

2. <u>ROLL CALL</u> William Stokes, Trustee Jason Spaletta, Trustee Frank Olagaray, Trustee

3. <u>PUBLIC COMMENT</u>

Any member of the public on the telephone may speak during the Public Comment period. This time is set-aside to allow members of the public to address the Board of Trustees regarding matters within the Board's jurisdiction. Individuals are requested to limit comments to a maximum of five minutes. No action will be taken on any item not appearing on the agenda unless the action is authorized by Government Code section 54954.2(b).

4. <u>MINUTES</u>

A. Review and Approval of Minutes of July 14, 2022 Regular Board Meeting

5. <u>FINANCES</u>

A. Review and Approval of Claims for Payment and Financial Report

6. PRESENTATION, DISCUSSION AND ACTION ITEMS

- A. Discuss and Consider Approval of Agreement with Stillwater Sciences for Monitoring and Reporting for Grizzly Slough Mitigation Site (PFA NH-21-2.0)
- B. Discuss and Consider Approval of a Request for Amendment of Project Funding Agreement NH-15-1.0 for the Grizzly Slough Floodplain Habitat Project to Extend the Term of the Agreement

RECLAMATION DISTRICT # 348 500 Capitol Mall, Suite 1000 Sacramento, CA 95814

- C. Discuss and Consider Approval of Authorization to Circulate for Public Review the Delta Plan Consistency Determination for the Mokelumne River Setback Levee Project (NH-17-1.0)
- D. Discuss and Consider Approval of a Request for Amendment of Project Funding Agreement NH-21-2.0 for the Grizzly Slough Mitigation Development Project to Extend the Term of the Agreement and Increase Project Funds

7. ENGINEER'S REPORT

- 8. DISCUSSION OF ONGOING DISTRICT OPERATIONS/INSPECTIONS
- 9. <u>REVIEW OF CORRESPONDENCE</u>
- 10. <u>CLOSED SESSION</u>
- 11. TRUSTEES' REPORTS
- 12. ADJOURNMENT